

Induction warming plate IW10-EBBF



Description

Thanks to the separate control panel, the built-in warming plate is ideally suited for needs-based use for keeping food warm. The simple operation and the exact temperature setting from 50°C to 100°C make it ideal for hot buffets.

Features

• Warming station diameter:	280 mm
• Colour:	Black Silver
• Control unit:	Electronic Touch
• Control lamp:	Operational
• Size cerane surface:	W 320 x D 370 mm
• Overheating protection:	Yes
• Timer:	No
• Digital display:	Yes
• ON/OFF switch:	Yes
• Can be installed:	Yes
• Pot recognition:	Yes
• Output max.:	1000 W
• Lock button (child protection):	No
• Combinability:	3 appliances can be switched in sequence in 1 power circuit
• Number of warming stations:	1

▶ Continue on the next page



▶ Integrated warming plate with separate control panel

✓ Excellent for warm buffets

▶ Warming with induction

✓ 1000 Watt

▶ Warming station diameter:

✓ 280 mm

✓ Pot recognition



▶ Simple to operate -

✓ Temperature control in 10°C steps

▶ Combinability

✓ 3 appliances can be switched in sequence in 1 power circuit

Induction warming plate IW10-EBBF

- | | |
|----------------------------------|--------------------------------------|
| • Type of warming station(s): | Induction |
| • Control panel: | Separate |
| | Cable length: 0,75 m |
| • Temperature range: | 50 °C to 100 °C |
| • Number of temperature levels: | 6 |
| • Intervals temperature setting: | 10 °C |
| • Material hob: | Glass |
| • Regulation of: | Temperature |
| • Properties: | Can also be used as a table-top unit |
| • Power load: | 1 kW 230 V 50/60 Hz |
| • Equipment connection: | Pluggable |
| • Material: | Stainless steel |
| • Important information: | - |
| • Size: | W 320 x D 370 x H 80 mm |
| • Weight: | 3.5 kg |



Induction warming plate IW10-EBBF

Add on Products

Chafing dish 1/1 Flexible



- Gastronorm: 1/1 GN
- Depth GN container max.: 65 mm
- Colour: Silver
- Material lid: Stainless steel
Chrome-plated
Glass

Code-No. 500507
GTIN 4015613696003