

Combi steamer Silversteam2 5230DRS



- ▶ Up to 5 x 2/3 GN
- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program




- ▶ Automatic 3-phase cleaning system with drying program



- ▶ Rack control
 - ✓ To enable the selection of a program for each shelf

- ▶ Cooldown during cooking phase



- ▶ Double door glazing, inner door can be opened easily for cleaning
- ▶ Vapour extractor is easy to regulate
- ▶ Removable support rails

Description

The Bartscher Silversteam2 combi steamer has five 2/3 GN inserts and an impressive integrated cleaning system. With or without a core temperature sensor, the electronic controls enable the demand-based regulation of all cooking processes. The rack control function allows different foods to be prepared at different times.

Features

- Power load: 3.3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Material cooking chamber: CNS 18/10
- Format drawers: 2/3 GN
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm
- Functions: Automatic 3-level cleaning system with drying program
Steam production by means of direct injection
Steam
Delta-T cooking
Combi-steaming
Low temperature cooking
Reversing motor direction (fan wheels)
Circulating air
Cooldown during cooking phase
Manual steaming

▶ Continue on the next page

Combi steamer Silversteam2 5230DRS



• Cooking mode:	Manual One-touch recipe selection Recipe tuner
• Rack control:	Yes
• With cleaning system:	Yes
• Number of cooking programs:	300 pre-installed programs 300 configurable programs
• Number of cooking phases:	9
• Temperature range:	50 °C to 300 °C
• Temperature control:	In 1 °C steps
• Number of fans:	1
• Fan speed:	3 levels
• Time adjustment:	0 to 5999 minutes
• Continuous operation:	Yes
• Core temperature sensor connection:	Front, bottom
• USB connection:	Front, bottom
• Vapour extractor:	Yes
• Water connection:	3/4"
• Interior lighting:	Yes
• LED display:	Steaming Delta-T cooking Cooking phases Core temperature Fan speed Program Temperature Time Touch
• Control unit:	-
• Control lamp:	-
• Series:	Silversteam2
• Operating mode:	Electro
• Properties:	Rounded cooking chamber Bearing rails can be detached Double-winged door pane LED lighting in door Pluggable
• Including:	1 grid 2/3 GN 1 tray 2/3 GN 1 water supply hose 1 supply hose for cleaning agents
• Available on request:	-
• Material:	CNS 18/10
• Important information:	From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
• Size:	W 640 x D 775 x H 680 mm
• Weight:	61.2 kg

Combi steamer Silversteam2 5230DRS

Add on Products

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Manual cleaning of heavily soiled surfaces
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.
- Content: 6 x 1 litre

Code-No. 173278
GTIN 4015613773346

GN container, 2/3, D65, perforated

CNS
18/10



- Content: 5.5 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A103065
GTIN 4015613278940

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)

Code-No. 173280
GTIN 4015613773353

Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C

Code-No. 109847
GTIN 4015613743899

Combi steamer Silversteam2 5230DRS

Add on Products

GN container, 2/3, D100

CNS
18/10




- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A125100
GTIN 4015613271224

GN grid 2/3

CNS
18/10



- Series: Top Line
- Norm: EN 631
- Gastronorm: 2/3 GN
- Material: CNS 18/10
- Important information: -
- Size: W 325 x D 355 x H 9 mm
- Weight: 0.74 kg

Code-No. 134091
GTIN 4015613890319

GN container, 2/3, D65

CNS
18/10



- Content: 5.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A125065
GTIN 4015613271217

GN-container, 2/3GN,D65, Basic Line

CNS



- Content: 5.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Series: Basic Line

Code-No. 723065
GTIN 4015613695648

Combi steamer Silversteam2 5230DRS

Add on Products

GN-container, 2/3GN,D100, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: Silk matt
- Depth container: 100 mm

Code-No. 723100
GTIN 4015613695655

Pressure regulator



- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar
- Material: Brass
Chrome-plated
- Important information: -

Code-No. 533051
GTIN 4015613468617

GN-container, 2/3 GN,D20, Basic Line

CNS



- Content: 2.3 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Series: Basic Line

Code-No. 723020
GTIN 4015613695624

Combi steamer cleaner RS-5L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 5 kg
- Model: Liquid
- Ph level: 14
- HACCP compliant: No

Code-No. 116299V
GTIN 4015613813042

Combi steamer Silversteam2 5230DRS

Add on Products

Pump set f. combi steamer



- Set comprises:
 - 1 plastic canister (5 litres)
 - 1 pump
 - 1 supply hose: canister - pump (150 cm)
 - 1 supply hose: pump - steaming pipe (80 cm)
 - Installation material
- Material:
 - Plastic
 - Metal

Code-No. 116011
GTIN 4015613595146

Oven gloves 370



- Properties:
 - With flame protection
 - With hanger
 - Fabric density: 640 g/m²
- Colour:
 - Black
- Can be washed:
 - No
- Heat resistant to:
 - 250 °C
- Length:
 - 370 mm

Code-No. A500511
GTIN 4015613735474

Smoker-Box 1160



- Model:
 - With heating coil
- Designed for:
 - Combined steamer
- Comprising:
 - Mains adapter
 - Smoker-Box
- Volume:
 - 1.16 litre(s)
- Dimensions Smoker-Box:
 - W 125 x D 470 x H 75 mm
- Suitable fuel:
 - Standard smoker materials

Code-No. 117712
GTIN 4015613779195

Core temperature sensor set SST2-D4P



- Set comprises:
 - 1 holder
 - 1 core temperature sensor
- Designed for:
 - Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor:
 - Chrome-nickel steel
- Puncture depth:
 - 90 mm
- Diameter temperature sensor:
 - 4 mm

Code-No. 116113
GTIN 401561387747

Combi steamer Silversteam2 5230DRS

Add on Products

Combi steamer cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 10 litres
- Model: Liquid
- Ph level: 13
- HACCP compliant: Yes

Code-No. 173279
GTIN 4015613767925

Hand shower f. combi steamer



- Water connection: 1/2"
- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Material: Plastic
Metal

Code-No. 116005
GTIN 4015613587189

Perforated tray 2/3-AL



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100417
GTIN 4015613734729

Base unit Silversteam 230

CNS



- Colour: Silver
- Designed for: 2/3 GN combi-steamers Silversteam2 series
2/3 GN combi-steamers Silversteam series
- Base shelf: Yes
- Height-adjustable feet: No
- Delivery state: Building kit (simple assembly)
- Material: Chrome-nickel steel

Code-No. 115075
GTIN 4015613610641

Combi steamer Silversteam2 5230DRS

Add on Products

GN tray 2/3

CNS
18/10



- Content: 2.3 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 20 mm

Code-No. A101195
GTIN 4015613271781

Core temperature sensor set SST2-D1P



- Set comprises: 1 holder
1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm

Code-No. 116109
GTIN 4015613866697

BBQ Gloves 425



Code-No. A500514
GTIN 4015613822433

Perforated tray 2/3-SI



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: Yes
- Temperature resistant to: 260 °C

Code-No. 100425
GTIN 4015613734736