

## Combi steamer Silversteam2 P-5110DRS



### Description

More efficiency and time savings with the combi-steamer Silversteam2 P 5 x 1/1 GN thanks to even more power. Thanks to the high performance and rack control function, full cooking chambers are no problem at all. Reduced cooking times, faster heating up and the cleaning system speak for themselves.

### Features

- Power load: 7.7 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Material cooking chamber: CNS 18/10
- Format drawers: 1/1 GN
- Type of drawers: 600 x 400 mm
- Number of drawers: Crosswise
- Distance between trays: 5
- Distance between trays: 74 mm



- ▶ Combi Steamer Silversteam P
- ✓ High power
- ✓ Up to 5 x 1/1 GN



- ▶ Automatic 3-phase cleaning system with drying program



- ▶ Rack control
- ✓ To enable the selection of a program for each shelf
- ▶ Faster heating and reheating times
- ▶ Up to 16% reduction in cooking times
- ▶ Ideal for oven interiors used to full capacity



- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program
- ▶ Cooldown during cooking phase

▶ Continue on the next page

## Combi steamer Silversteam2 P-5110DRS



- Functions:
  - Automatic 3-level cleaning system with drying program
  - Steam production by means of direct injection
  - Steam
  - Delta-T cooking
  - Combi-steaming
  - Low temperature cooking
  - Reversing motor direction (fan wheels)
  - Circulating air
  - Cooldown during cooking phase
  - Manual steaming
- Cooking mode:
  - Manual
  - One-touch recipe selection
  - Recipe tuner
- Rack control:
  - Yes
- With cleaning system:
  - Yes
- Number of cooking programs:
  - 300 pre-installed programs
  - 300 configurable programs
- Number of cooking phases:
  - 9
- Temperature range:
  - 50 °C to 300 °C
- Temperature control:
  - In 1 °C steps
- Number of fans:
  - 1
- Fan speed:
  - 3 levels
- Time adjustment:
  - 0 to 5999 minutes
- Continuous operation:
  - Yes
- Core temperature sensor connection:
  - Front, bottom
- USB connection:
  - Front, bottom
- Vapour extractor:
  - Yes
- Water connection:
  - 3/4"
- Interior lighting:
  - Yes
- LED display:
  - Steaming
  - Delta-T cooking
  - Cooking phases
  - Core temperature
  - Fan speed
  - Program
  - Temperature
  - Time
  - Touch
- Control unit:
  - Touch
- Control lamp:
  -
- Series:
  - Silversteam2
- Operating mode:
  - Electro
- Properties:
  - Rounded cooking chamber
  - Bearing rails can be detached
  - Double-winged door pane
  - LED lighting in door
  - Socket (500 W) for connection of an extractor hood
  - Faster heating and reheating times
  - Up to 16 % reduction in cooking times
  - Ideal for cooking spaces used to full capacity
- Including:
  - 1 grid 1/1 GN
  - 1 tray 1/1 GN
  - 1 water supply hose
  - 1 supply hose for cleaning agents
- Available on request:
  -
- Material:
  - CNS 18/10
- Important information:
  - From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Size:
  - W 905 x D 845 x H 665 mm
- Weight:
  - 89.5 kg

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Grill plate 5300



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576  
GTIN 4015613660783

#### Baking tray 600x400-ALB



- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100439  
GTIN 4015613863511

#### Pressure regulator



- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar
- Material: Brass
- Material: Chrome-plated
- Important information: -

Code-No. 533051  
GTIN 4015613468617

#### Cooking pergament 1/1 GN



- Order quantity unit: 1 box (500 sheets)
- GN-capable: Yes
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Material: Paper
- Important information: -
- Size: W 530 x D 325 x H 1 mm

Code-No. 150687  
GTIN 4015613711423

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C

Code-No. 109847  
GTIN 4015613743899

#### GN-container, 1/1GN,D65, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Series: Basic Line

Code-No. 711065  
GTIN 4015613695587

#### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511  
GTIN 4015613735474

#### GN container, 1/1, D20

CNS  
18/10



- Content: 3.4 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm

Code-No. A121025  
GTIN 4016098166722

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### GN container, 1/1, D200

CNS  
18/10



- Content: 28 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 200 mm

Code-No. A121200  
GTIN 4015613271071

#### Extractor hood Silversteam2



STAINLESS  
STEEL



- Number of fan motors/exhaust air outputs: 1
- Fan regulation: Toggle  
Manual  
Stepless
- Motor output: 383 W
- ON/OFF switch: Yes

Code-No. 116116  
GTIN 4015613866710

#### Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Perforation: No
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426  
GTIN 4015613734743

#### Combi steamer cleaner F10L




- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 10 litres
- Model: Liquid
- Ph level: 13
- HACCP compliant: Yes

Code-No. 173279  
GTIN 4015613767925

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100427  
GTIN 4015613734750

#### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)

Code-No. 173280  
GTIN 4015613773353

#### Pump set f. combi steamer



- Set comprises:
  - 1 plastic canister (5 litres)
  - 1 pump
  - 1 supply hose: canister - pump (150 cm)
  - 1 supply hose: pump - steaming pipe (80 cm)
  - Installation material
- Material:
  - Plastic
  - Metal

Code-No. 116011  
GTIN 4015613595146

#### Base unit Silversteam 110

CNS  
18/10



- Number of drawers: 10
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 741 mm to 790 mm
- Colour: Silver
- Designed for:
  - 1/1 GN combi-steamers Silversteam2 series
  - 1/1 GN combi-steamers Silversteam series

Code-No. 115069  
GTIN 4015613602486

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Base unit Silversteam 2-110

CNS



- Number of drawers: 6
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 400 mm to 450 mm
- Colour: Silver
- Designed for: 1/1 GN combi-steamers Silversteam2 series  
1/1 GN combi-steamers Silversteam series

Code-No. 115071  
GTIN 4015613617589

#### Core temperature sensor set SST2-D4P



- Set comprises: 1 holder  
1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 90 mm
- Diameter temperature sensor: 4 mm

Code-No. 116113  
GTIN 4015613877747


#### Guiding rails 6040 SST2-5110



- Designed for: 5 x 1/1 GN combi-steamers in the Silversteam2 series
- Format drawers: 600 x 400 mm
- Distance between trays: 90 mm
- Number of drawers: 4
- Material: CNS 18/10
- Important information: -

Code-No. 117151  
GTIN 4015613866666

#### Grill plate EGR60400



- Properties: Useable on both sides
- Model: Rectangular  
1 side grooved  
1 side smooth
- Material: Cast aluminium  
Coated
- Important information: -

Code-No. 100437  
GTIN 4015613863481

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### GN-container, 1/1GN,D20, Basic Line

CNS



- Content: 3.4 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Series: Basic Line

Code-No. 711020  
GTIN 4015613695556

#### Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: Yes
- Temperature resistant to: 260 °C

Code-No. 100428  
GTIN 4015613734767

#### GN-container, 1/1GN,D100, Basic Line

CNS



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Series: Basic Line

Code-No. 711100  
GTIN 4015613695594

#### Cooking basket 110

STAINLESS  
STEEL



- Gastronorm: 1/1 GN
- Size basket: W 490 x D 275 x H 50 mm
- Content: 7 litre(s)
- Material: Stainless steel
- Important information: -
- Size: W 536 x D 326 x H 61 mm
- Weight: 1.1 kg

Code-No. 900300  
GTIN 4015613788111

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### GN container, 1/1, D65

CNS 18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065  
GTIN 4016098162755


#### BBQ Gloves 425



Code-No. A500514  
GTIN 4015613822433

#### GN grid 1/1, SS

CNS 18/10



- Series: Top Line
- Norm: EN 631
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.94 kg

Code-No. A101091  
GTIN 4016098175250

#### Combi steamer cleaner RS-5L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 5 kg
- Model: Liquid
- Ph level: 14
- HACCP compliant: No

Code-No. 116299V  
GTIN 4015613813042

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Hand shower f. combi steamer



- Water connection: 1/2"
- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Material: Plastic  
Metal

Code-No. 116005  
GTIN 4015613587189

#### Condensation hood Silversteam2



- Number of fan motors/exhaust air outputs: 1
- Fan regulation: Toggle  
Manual  
Stepless
- Motor output: 383 W
- ON/OFF switch: Yes

Code-No. 116119  
GTIN 4015613866727

#### Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Manual cleaning of heavily soiled surfaces  
Grill, oven and combi steamer cleaning (without cleaning system)  
Cookers, extractor hoods, tilting frying pans etc.
- Content: 6 x 1 litre

Code-No. 173278  
GTIN 4015613773346

#### Perforated tray 600x400-ALB



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100438  
GTIN 4015613863504

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Smoker-Box 1160



- Model: With heating coil
- Designed for: Combined steamer
- Comprising: Mains adapter  
Smoker-Box
- Volume: 1.16 litre(s)
- Dimensions Smoker-Box: W 125 x D 470 x H 75 mm
- Suitable fuel: Standard smoker materials

Code-No. 117712  
GTIN 4015613779195


#### Tray 1/1GN, 20 mm



- Content: 3.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 20 mm

Code-No. A101185  
GTIN 4015613271729

#### Base unit Silversteam2 6040



- Number of drawers: 10
- Format drawers: 1/1 GN  
600 x 400 mm
- Type of drawers: Longitudinal
- Height adjustable: 740 mm to 790 mm
- Colour: Silver
- Designed for: 1/1 GN combi-steamers Silversteam2 series

Code-No. 115089  
GTIN 4015613877730

#### Core temperature sensor set SST2-D1P




- Set comprises: 1 holder  
1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm

Code-No. 116109  
GTIN 4015613866697

## Combi steamer Silversteam2 P-5110DRS

### Add on Products

#### Connection kit Silversteam2



- Designed for: Electric 1/1 GN combi-steamers from the Silversteam2 series
- Combination possibilities: 5 x 1/1 GN to 5 x 1/1 GN  
5 x 1/1 GN to 7 x 1/1 GN
- Size frame: W 905 x D 620 x H 115 mm

Code-No. 116112  
GTIN 4015613866703